

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Original) A container assembly comprising a container body defining a main compartment; a hollow insert located in the main compartment to form a secondary compartment within the main compartment; the secondary compartment having a closure means for sealing a liquid therein; and the container body having a lid to close the main compartment.
2. (Original) A container assembly as claimed in claim 1 in which the assembly includes locating means to locate the insert in the main compartment.
3. (Original) A container assembly as claimed in any one of the preceding claims in which the main compartment includes a sleeve insert.
4. (Original) A container assembly as claimed in claim 3 in which the sleeve insert is a split sleeve.
5. (Original) A container assembly as claimed in claim 4 in which the sleeve parts of the split sleeve are resiliently deformable.
6. (Currently amended) A container assembly as claimed in ~~any one of~~ claims claim 3 [[to 5]] in which the sleeve parts terminate in axially inwardly extending lips.
7. (Currently amended) A container assembly as claimed in ~~any one of~~ claims claim 3 [[to 5]] in which the sleeve parts have screw thread formations extending from an inside surface of each part.

8. (Currently amended) A container assembly as claimed in ~~any one of the preceding claims~~ claim 1 in which the insert is cylindrical.

9. (Currently amended) A container assembly as claimed in ~~any one of claims claim 2 [[to 8]]~~ in which the locating means is an outer screw thread on the insert for engagement with screw thread formations on a two part sleeve.

10. (Currently amended) A container assembly as claimed in ~~any one of claims claim 2 [[to 8]]~~ in which the insert has two cylindrical sections, a first section having a larger diameter than a second section.

11. (Original) A container assembly as claimed in claim 10 in which the insert has a cylindrical operatively lower hollow section and a frusto conical operatively upper hollow section.

12. (Currently amended) A container assembly as claimed in ~~any one of claims 10 or claim 11~~ in which the first cylindrical section of the insert is its engagement means for frictional engagement with an inwardly extending lip formation in which each part of ~~[[the]]~~ a two part sleeve located in the compartment terminates.

13. (Currently amended) A container assembly as claimed in ~~any one of the preceding claims~~ claim 1 in which the container lid has a circumferentially extending slot for engagement with an upper edge of the container body.

14. (Original) A container assembly as claimed in claim 13 in which the upper edge of the container body is a right-circular upwardly extending rim section for engagement with the complementary shaped slot in the lid.

15. (Currently amended) A container assembly as claimed in ~~any one of the preceding claims~~ claim 1 in which the lid includes notification means.

16. (Currently amended) A container assembly as claimed in ~~any one of~~
~~claims 1 to 14~~ claim 15 in which notification means is provided in the form of a sticker
located under the lid on the closure means.

17. (Currently amended) A container assembly as claimed in ~~any one of~~
~~the preceding claims~~ claim 1 in which the closure means of the insert is a disc.